



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

गाज़ियाबाद Ghaziabad Branch Office

पता

Address:

दूरभाष

Phones :

फैक्स Fax:

ई-मेल e-mail: gzo@bis.org.in

वेब web : http://www.bis.org.in

सावित्री कॉम्प्लेक्स, 116 जी टी रोड,
गाज़ियाबाद 201 001, भारत
Savitri Complex, 116 GT Road
Ghaziabad-201001
0120-2861996, 2861498

पंजीकृत/पावती

हमारा संदर्भ : GZBO/L- 8992717

दिनांक - 28/09/2017

विषय : प्रमाणन मुहर लाइसेंस संख्या सी एम/एल - 8992717 का नवीकरण
आई एस - 4985 : 2000

M/s AKG Extrusions Pvt. Ltd.
Plot NO. 34 A/2 Udyog Vihar, Ecotech-II
Greater Noida
जिला : Gautam Buddh Nagar
Uttar Pradesh
201301

महोदय,

1. कृपया अपने नवीकरण के संदर्भ में भेजे गए आवेदन पत्र दिनांक ----- का अवलोकन करें। हमें यह जानकारी देते हुए प्रसन्नता है कि आपके प्रमाणन लाइसेंस का दिनांक 01/09/2017 से 31/08/2018 तक नवीकरण हो गया है।

2. कृपया ध्यान दें कि यह लाइसेंस उपरोक्त लिखी अवधि के बाद समाप्त हो जाएगा, अंतः आपसे अनुरोध है कि आप अपना लाइसेंस नवीकरण कराने के लिए आवेदन पत्र, नवीकरण आवेदन शुल्क, वार्षिक शुल्क तथा मुहरांकन शुल्क के साथ अगले नवीकरण की तिथि से कम से कम एक मास पूर्व भेजें।

3. लाइसेंस नवीकरण की पृष्ठांकन शीट संलग्न है। इसे कृपया आपके पास उपलब्ध मूल लाइसेंस के साथ जोड़ लें।

धन्यवाद

संलग्न : यथोक्त

भवदीय,

(संजय कुमार)

(वैज्ञानिक ई व प्रमुख)



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Address : Savitri Complex, 116 GT Road
Ghaziabad
201001

Phones : 0120-2861996, 2861498

Fax : 0120-2862195

E-mail : gzo@bis.org.in

Web : http://www.bis.org.in

Ghaziabad Branch Office

ATTACHMENT TO LICENCE NO. CM/L- 8992717

<u>CML NO</u>	<u>NAME OF THE LICENSEE WITH ADDRESS</u>	<u>PRODUCT</u>	<u>IS NO</u>
8992717	AKG Extrusions Pvt. Ltd. Plot NO. 34 A/2 Udyog Vihar, Ecotech-II Greater Noida Uttar Pradesh 201301	Unplasticized pvc pipes for potable water supplies -	IS 4985 : 2000

ENDORSEMENT NO. 10

Dated

28092017

Consequent upon the revision of rate of marking fee , columns(3) of the Second Schedule of the licence have been revised as under with effect from 24/08/2016.

Unit - 1 ton

Rs	86.40	per unit for the Ist	All	Units
Rs	0.00	per unit for the next	0	Units
Rs	0.00	per unit for the remaining	_____	Units

as relevant with the minimum of Rs. 47,000.00 an operative period of one year subject to such concessions as may be admissible.

Renewed for a further period of one year from **First September Two Thousand and Seventeen to Thirty First August Two Thousand and Eighteen.**

Other terms and conditions of Licence remain the same.

(SUNJAY KUMAR)
SCIENTIST E & HEAD



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
Ghaziabad Branch Office

Address Savitri Complex, 116 GT Road
: Ghaziabad-201001
Phones : 0120-2861996, 2861498
Fax: 0120-2862195
E-Mail: gzo@bis.org.in
web : http://www.bis.org.in

REGISTERED

Our Ref: GZBO L- 8992717

Dated: 20 Mar 2017

Subject : Permission for Resumption of marking

M/s AKG EXTRUSIONS PVT LTD
Plot No. 34 A 2 Udyog Vihar, Ecotech-II,
Water Works,
Sector 14, Yamunanagar, Jhansi Nagar,
U.P., Pradesh.

Dear Sir,

This has reference to BIS Certification Marks licence No. CM/L- 8992717 held by you for use of Standard Mark on the product *UPVC Pipes for portable water supplies* which is valid upto 31/12/2017 and was under stop marking w.e.f' 20/12/2016 *as per IS 4985:2000*

In view of satisfactory verification of shifting of factory premises at new address, it has been decided to permit you to resume marking with immediate effect. You are, therefore, permitted to mark and despatch the material mentioned above after ensuring its conformity to the requirements of relevant Indian Standard Specification and testing as per the Scheme of Testing and Inspection (STI) given to you. You are also advised to send us your production schedule well in advance alongwith list of consignees regularly.

The Endorsement no. 9 to this effect is enclosed please.

Thanking you

Your's faithfully,
Sunjay Kumar
(SUNJAY KUMAR)
SCIENTIST E & HEAD



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Address : Savitri Complex, 116 GT Road
Ghaziabad
201001

Phones : 0120-2861996; 2861498

Fax : 0120-2862195

E-mail : gzo@bis.org.in

Web : http://www.bis.org.in

Ghaziabad Branch Office

ATTACHMENT TO LICENCE NO. CM/L- 8992717

<u>CM/L NO</u>	<u>NAME OF THE LICENSEE WITH ADDRESS</u>	<u>PRODUCT</u>	<u>IS NO</u>
8992717	AKG Extrusions Pvt. Ltd. B-39, Sector-80, Phase-II Noida, Gautam Buddh Nagar Uttar Pradesh	Unplasticized pvc pipes for potable water supplies -	IS 4985 : 2000

ENDORSEMENT NO. 9 Dated 22-03-07

Consequent to the shifting of the factory/office, the address on the License is changed to:

Plot No. 34 A/2 Udyog Vihar,
Ecotech-II, Greater Noida,
Gautam budh Nagar, Uttar Pradesh

Other terms and conditions of Licence remain the same.

(SUNJAY KUMAR)
SCIENTIST E & HEAD